



P101 If medical advice is needed, have product container or label at hand.
 P261 Avoid breathing vapours.

(Contd. on page 2)

GB

*



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015 Version number 15 Revision: 29.07.2015 Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136 (Contd. of page 1) P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with national regulations. Additional information: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. . 2.3 Other hazards . Results of PBT and vPvB assessment . **PBT:** Not applicable. . **vPvB:** Not applicable. 3 Composition/information on ingredients . 3.2 Mixtures . Description: Adhesive . Dangerous components: CAS: 7085-85-0 ethyl 2-cyanoacrylate 50-100% EINECS: 230-391-5 🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 ≤ 2.5% CAS: 123-31-9 1,4-dihydrxybenzene EINECS: 204-617-8 & Muta. 2, H341; Carc. 2, H351; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens. 1, H317 . Additional information: For the wording of the listed risk phrases refer to section 16. 4 First aid measures . 4.1 Description of first aid measures . After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stable in side position for transportation. . After skin contact: Immediately wash with water and soap and rinse thoroughly. Do not tear cured product off the skin. . After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. . After swallowing: Do not induce vomiting; call for medical help immediately. . 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Firefighting measures . 5.1 Extinguishing media Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. . 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015 Version number 15

Revision: 29.07.2015

Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136

(Contd. of page 2)

. Protective equipment: No special measures required.

6 Accidental release measures

. 5.3 Advice for firefighters

- . 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- . 6.2 Environmental precautions:
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to item 13.
 - Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and storage

- . 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- . Information about fire and explosion protection: No special measures required.
- . 7.2 Conditions for safe storage, including any incompatibilities . Storage:
- . Requirements to be met by storerooms and receptacles: No special requirements.
- . Information about storage in one common storage facility: Not required.
- . Further information about storage conditions: Keep receptacle tightly sealed.
- . 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- . 8.1 Control parameters
- . Ingredients with limit values that require monitoring at the workplace: 7085-85-0 ethyl 2-cyanoacrylate
- WEL Short-term value: 1.5 mg/m³, 0.3 ppm

. Additional information: The lists valid during the making were used as basis.

- . 8.2 Exposure controls
- . Personal protective equipment:
- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.
 Respiratory protection: Suitable respiratory protective device recommended.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015

Version number 15

Revision: 29.07.2015

Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136

(Contd. of page 3) . Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation . Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. . Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. . For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: PVC or PE gloves . Eye protection: Safety glasses Tightly sealed goggles . Body protection: Use protective suit. 9 Physical and chemical properties . 9.1 Information on basic physical and chemical properties . General Information . Appearance: Form: Fluid According to product specification Colour: . Odour: Characteristic . Odour threshold: Not determined. . pH-value: Not determined. . Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 60 °C . Flash point: > 55 °C . Flammability (solid, gaseous): Not applicable. . Ignition temperature: Decomposition temperature: Not determined. . Self-igniting: Product is not selfigniting. . Danger of explosion: Product does not present an explosion hazard. (Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015

Version number 15

Revision: 29.07.2015

Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136

		(Contd. of page 4)	
	Explosion limits:		
	Lower: Upper:	Not determined. Not determined.	
	Vapour pressure:	Not determined.	
	Density at 20 °C:	1.091 g/cm ³	
	Relative density	Not determined.	
	Vapour density	Not determined.	
•	Evaporation rate	Not determined.	
•	Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
	Partition coefficient (n-octanol/		
	water):	Not determined.	
	Viscosity:		
	Dynamic:	Not determined.	
	Kinematic:	Not determined.	
	Solids content:	100.0 %	
•	9.2 Other information	No further relevant information available.	
10	0 Stability and reactivity		
	10.1 Reactivity		
	10.2 Chemical stability		
	Thermal decomposition / condition	s to be avoided:	
	No decomposition if used according to specifications.		
•	10.3 Possibility of hazardous reactions		
	Reacts violently with water.		
	May produce violent reactions with bases and numerous organic substances including alcohols and amines.		
	10.4 Conditions to avoid No further relevant information available.		
	10.5 Incompatible materials: No further relevant information available.		
	. 10.6 Hazardous decomposition products:		
	Danger of forming toxic pyrolysis products.		
11 Toxicological information			
	. 11.1 Information on toxicological effects		
	. Acute toxicity		
	 Primary irritant effect: Skin corrosion/irritation Irritant to skin and mucous membranes. 		
	. Serious eye damage/irritation Irritating effect.		
	. Respiratory or skin sensitisation No sensitising effects known.		
	. Additional toxicological information:		
	The product shows the following dangers according to the calculation method of		
	the General EU Classification Guidelines for Preparations as issued in the latest		
	version:		
	Irritant		
12	Ecological information		
	. 12.1 Toxicity		
	Aquatic toxicity: No further relevant information available.		
	12.2 Persistence and degradability No further relevant information available		

. 12.2 Persistence and degradability No further relevant information available. . 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 6)



Safety data sheet

according to 1907/2006/EC, Article 31

Revision: 29.07.2015 Printing date 29.07.2015 Version number 15 Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136 (Contd. of page 5) . 12.4 Mobility in soil No further relevant information available. . Additional ecological information: . General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. . 12.5 Results of PBT and vPvB assessment . **PBT:** Not applicable. . **vPvB:** Not applicable. . 12.6 Other adverse effects No further relevant information available. 13 Disposal considerations . 13.1 Waste treatment methods . Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. . Uncleaned packaging: . Recommendation: Disposal must be made according to official regulations. Packagings that may not be cleansed are to be disposed of in the same manner as the product. 14 Transport information . 14.1 UN-Number . ADR, ADN, ADN, IMDG, IATA Void . 14.2 UN proper shipping name . ADR, ADN, ADN, IMDG, IATA Void . 14.3 Transport hazard class(es) . ADR, ADN, ADN, IMDG, IATA . Class Void . 14.4 Packing group . ADR, ADN, IMDG, IATA Void . 14.5 Environmental hazards: . Marine pollutant: No . 14.6 Special precautions for user Not applicable. . 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. . Transport/Additional information: . IMDG . Remarks: Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2 . UN "Model Regulation":

(Contd. on page 7)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015

Version number 15

Revision: 29.07.2015

Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136

(Contd. of page 6)

15 Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- . Hazard pictograms



. Signal word Warning

- . Hazard-determining components of labelling:
- ethyl 2-cyanoacrylate
- . Hazard statements H315 Causes skin irritation.
- HS19 Causes Skill IIIIcacion.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- . Precautionary statements
 - P101 If medical advice is needed, have product container or label at hand.
- P261 Avoid breathing vapours.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P501 Dispose of contents/container in accordance with national
 - 1 Dispose of contents/container in accordance with national regulations.
- . Directive 2012/18/EU
- . Named dangerous substances ANNEX I None of the ingredients is listed.
- . 15.2 Chemical safety assessment:
- A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

- H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H341 Suspected of causing genetic defects.
 H351 Suspected of causing cancer.
 H400 Very toxic to aquatic life.
- . Department issuing MSDS: QESH Department
- . Contact: Reach coördinator
- . Abbreviations and acronyms: Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

(Contd. on page 8)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015

Version number 15

Revision: 29.07.2015

(Contd. of page 7)

GB

Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Muta. 2: Germ cell mutagenicity, Hazard Category 2
Carc. 2: Carcinogenicity, Hazard Category 2
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1
. * Data compared to the previous version altered.



DPD Declaration

Safety data sheet according to 1907/2006/EC, Article 31 Printing date 29.07.2015 Version number 15 Revision: 29.07.2015 1 Identification of the substance/mixture and of the company/undertaking . 1.1 Product identifier . Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136 . 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. . Application of the substance / the mixture Adhesive . 1.3 Details of the supplier of the safety data sheet . Manufacturer/Supplier: Bison International Dr.A.F.Philipsstraat 9 NL-4462 EW Goes PO Box 160 NL-4460 AD Goes tel. +31 88 3235700 fax. +31 88 3235800 e mail: sds@boltonadhesives.com . Further information obtainable from: Bison QESH . 1.4 Emergency telephone number: +31 88 3235700 2 Hazards identification . 2.1 Classification of the substance or mixture . Classification according to Regulation (EC) No 1272/2008 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. . 2.2 Label elements . Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. . Hazard pictograms GHS07 . Signal word Warning . Hazard-determining components of labelling: ethyl 2-cyanoacrylate . Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. . Precautionary statements If medical advice is needed, have product container or label at P101 hand. P261 Avoid breathing vapours. (Contd. on page 2)

*



Safety data sheet DPD Declaration according to 1907/2006/EC, Article 31 Printing date 29.07.2015 Version number 15 Revision: 29.07.2015 Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136 (Contd. of page 1) P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/container in accordance with national regulations. Additional information: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. . 2.3 Other hazards . Results of PBT and vPvB assessment . **PBT:** Not applicable. . **vPvB:** Not applicable. 3 Composition/information on ingredients . 3.2 Mixtures . Description: Adhesive . Dangerous components: CAS: 7085-85-0 ethyl 2-cyanoacrylate 50-100% EINECS: 230-391-5 🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 ≤ 2,5% CAS: 123-31-9 1,4-dihydrxybenzene EINECS: 204-617-8 & Muta. 2, H341; Carc. 2, H351; Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Sens. 1, H317 . Additional information: For the wording of the listed risk phrases refer to section 16. 4 First aid measures . 4.1 Description of first aid measures . After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stable in side position for transportation. . After skin contact: Immediately wash with water and soap and rinse thoroughly. Do not tear cured product off the skin. . After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. . After swallowing: Do not induce vomiting; call for medical help immediately. . 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. 5 Firefighting measures . 5.1 Extinguishing media Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

. 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



6305573 - BISON SUPER GLUE GEL CRD 3G*12 L136 Safety data sheet DPD Declaration according to 1907/2006/EC, Article 31 Printing date 29.07.2015 Version number 15 Revision: 29.07.2015 Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136 (Contd. of page 2) . 5.3 Advice for firefighters . Protective equipment: No special measures required. 6 Accidental release measures . 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. . 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. . 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. . 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. 7 Handling and storage . 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. . Information about fire - and explosion protection: No special measures required. . 7.2 Conditions for safe storage, including any incompatibilities . Storage: . Requirements to be met by storerooms and receptacles: No special requirements. . Information about storage in one common storage facility: Not required. . Further information about storage conditions: Keep receptacle tightly sealed. . 7.3 Specific end use(s) No further relevant information available. 8 Exposure controls/personal protection . Additional information about design of technical facilities: No further data; see item 7. . 8.1 Control parameters . Ingredients with limit values that require monitoring at the workplace: 7085-85-0 ethyl 2-cyanoacrylate WEL (Great Britain) Short-term value: 1,5 mg/m³, 0,3 ppm . Additional information: The lists valid during the making were used as basis. . 8.2 Exposure controls . Personal protective equipment: . General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

. Respiratory protection: Suitable respiratory protective device recommended.

(Contd. on page 4)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015

Version number 15

DPD Declaration

Revision: 29.07.2015

Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136

(Contd. of page 3) . Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation . Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. . Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. . For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: PVC or PE gloves . Eye protection: Safety glasses Tightly sealed goggles . Body protection: Use protective suit. 9 Physical and chemical properties . 9.1 Information on basic physical and chemical properties . General Information . Appearance: Form: Fluid According to product specification Colour: . Odour: Characteristic . Odour threshold: Not determined. . pH-value: Not determined. . Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 60 °C . Flash point: > 55 °C . Flammability (solid, gaseous): Not applicable. . Ignition temperature: Decomposition temperature: Not determined. . Self-igniting: Product is not selfigniting. . Danger of explosion: Product does not present an explosion hazard. (Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015

Version number 15

DPD Declaration

e 29.07.2015 Version

Revision: 29.07.2015

```
Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136
                                                                          (Contd. of page 4)
  . Explosion limits:
       Lower:
                                       Not determined.
       Upper:
                                      Not determined.
                                      Not determined.
  . Vapour pressure:
  . Density at 20 °C:
                                       1,091 g/cm<sup>3</sup>
  . Relative density
                                      Not determined.
  . Vapour density
                                      Not determined.
  . Evaporation rate
                                       Not determined.
  . Solubility in / Miscibility with
       water:
                                       Not miscible or difficult to mix.
  . Partition coefficient (n-octanol/
    water):
                                       Not determined.
  . Viscosity:
       Dynamic:
                                       Not determined.
       Kinematic:
                                       Not determined.
       Solids content:
                                       100,0 %
  . 9.2 Other information
                                       No further relevant information available.
 10 Stability and reactivity
  . 10.1 Reactivity
  . 10.2 Chemical stability
  . Thermal decomposition / conditions to be avoided:
    No decomposition if used according to specifications.
  . 10.3 Possibility of hazardous reactions
    Reacts violently with water.
    May produce violent reactions with bases and numerous organic substances
    including alcohols and amines.
  . 10.4 Conditions to avoid No further relevant information available.
  . 10.5 Incompatible materials: No further relevant information available.
  . 10.6 Hazardous decomposition products:
    Danger of forming toxic pyrolysis products.
 11 Toxicological information
  . 11.1 Information on toxicological effects
  . Acute toxicity
  . Primary irritant effect:
  . Skin corrosion/irritation Irritant to skin and mucous membranes.
  . Serious eye damage/irritation Irritating effect.
  . Respiratory or skin sensitisation No sensitising effects known.
  . Additional toxicological information:
    The product shows the following dangers according to the calculation method of
    the General EU Classification Guidelines for Preparations as issued in the latest
    version:
    Irritant
 12 Ecological information
  . 12.1 Toxicity
  . Aquatic toxicity: No further relevant information available.
  . 12.2 Persistence and degradability No further relevant information available.
  . 12.3 Bioaccumulative potential No further relevant information available.
```

(Contd. on page 6)



Safety data sheet DPD Declaration according to 1907/2006/EC, Article 31 Printing date 29.07.2015 Version number 15 Revision: 29.07.2015 Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136 (Contd. of page 5) . 12.4 Mobility in soil No further relevant information available. . Additional ecological information: . General notes: Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. . 12.5 Results of PBT and vPvB assessment . **PBT:** Not applicable. . **vPvB:** Not applicable. . 12.6 Other adverse effects No further relevant information available. 13 Disposal considerations . 13.1 Waste treatment methods . Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. . Uncleaned packaging: . Recommendation: Disposal must be made according to official regulations. Packagings that may not be cleansed are to be disposed of in the same manner as the product. 14 Transport information . 14.1 UN-Number . ADR, ADN, ADN, IMDG, IATA Void . 14.2 UN proper shipping name . ADR, ADN, ADN, IMDG, IATA Void . 14.3 Transport hazard class(es) . ADR, ADN, ADN, IMDG, IATA . Class Void . 14.4 Packing group . ADR, ADN, IMDG, IATA Void . 14.5 Environmental hazards: . Marine pollutant: No . 14.6 Special precautions for user Not applicable. . 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. . Transport/Additional information: . IMDG . Remarks: Under certain conditions substances in Class 3 (flammable liquids) can be classified in packinggroup III. See IMDG, Part 2, Chapter 2.3, Paragraph 2.3.2.2 . UN "Model Regulation":

6305573 - BISON SUPER GLUE GEL CRD 3G*12 L136

(Contd. on page 7)



DPD Declaration

6305573 - BISON SUPER GLUE GEL CRD 3G*12 L136

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015

Version number 15

Revision: 29.07.2015

5

Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136

(Contd. of page 6)

15 Regulatory information

- . 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- . Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- . Hazard pictograms



. Signal word Warning

. Hazard-determining components of labelling:

regulations.

- ethyl 2-cyanoacrylate
- . Hazard statements H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- . Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
 P261 Avoid breathing vapours.

 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P501 Dispose of contents/container in accordance with national

- . Directive 2012/18/EU
- . Named dangerous substances ANNEX I None of the ingredients is listed.
- . 15.2 Chemical safety assessment:
- A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

. Relevant phrases

H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.

- . Department issuing MSDS: QESH Department
- . Contact: Reach coördinator
- . Abbreviations and acronyms: Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

(Contd. on page 8)



DPD Declaration

GB-D

6305573 - BISON SUPER GLUE GEL CRD 3G*12 L136

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.07.2015

Version number 15

Revision: 29.07.2015

late 29.07.2015

Trade name: BISON SUPER GLUE GEL CRD 3G*12 L136

(Contd. of page 7) Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Muta. 2: Germ cell mutagenicity, Hazard Category 2 Carc. 2: Carcinogenicity, Hazard Category 2 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

. * Data compared to the previous version altered.